

Did you know?

- You can use CankerMelts® during any activity, including showering, exercising and sleeping. When discs need to last longer, such as at night, use two discs at once by placing one on top of the other.
- **Eating:** Use a disc for at least 20 minutes before a meal to reduce pain from eating. You can eat with a CankerMelts disc in place. If you swallow the disc, apply another after the meal. CankerMelts is an all-natural product that is safe to swallow.
- If you start when the sore is so small it does not yet hurt, using only while sleeping is usually sufficient.
- For larger sores, keep a disc in place for as many hours per day as possible. When a disc is not in place, the canker sore may grow.

CankerMelts® are available at:



**Warnings:**

Do not use more than 90 discs in a 3-day period (30 per day) or more than 18 discs every day for five days or more. Excessive amounts of glycyrrhizin, an ingredient in licorice root extract, can cause adverse side effects. Do not swallow a disc that has been in your mouth less than half a minute. It may stick in your throat. Do not sleep with a disc in your mouth if it is not yet stuck in place, or you might pry it loose with your tongue while you sleep. It might lodge in your throat, causing discomfort until it dissolves. Keep discs out of reach of children under five. There is a risk of choking. See a doctor if a mouth ulcer persists for more than 14 days. It may not be an ordinary mouth ulcer.

**Ingredients:**

Collagen (45%), licorice root extract (includes 1.4 mg glycyrrhizin average per disc), hydrophilic gums and potassium.

**CONTAINS NO** fat, salt, gluten, artificial flavors, artificial colors, preservatives, products of nuts, corn, wheat, rice, grain, soy, egg, fish, shellfish, milk or yeast.

CankerMelts Manufactured by Oramelts Corp.  
for OraHealth USA, Inc., Bellevue, WA  
Made in USA  
US Patents 7,201,930; 2007/098,648 and foreign patents

877-672-6541  
www.orahealth.com



CankerMelts® Time-release adhering discs

All-natural

# CankerMelts®

All-natural canker  
sore solution

The only clinically-proven,  
all-natural relief for canker sores

For canker, braces and denture sores  
Collagen and licorice root extract  
Relieves pain in minutes without numbing  
Mild flavor – no medicine taste

Samples  
enclosed



## The Problem: Painful canker, braces and denture sores

Canker sores, also known as aphthous ulcers, are painful ulcers of the skin lining the mouth and tongue.

# The Solution: CankerMelts®

CankerMelts is the only all-natural canker sore treatment clinically-proven to relieve canker sore pain. They are also effective at combating the rawness and sores caused by dentures and braces.

## About CankerMelts

CankerMelts uses a patented dissolving time-release disc to allow precise application of natural collagen and licorice root extract directly to the sore. CankerMelts have been shown to relieve pain while in place and reduce the pain that remains after the disc dissolves by 89%.\*

## About Collagen, CankerMelts' soothing active ingredient

Collagen is a type of protein whose adhering fibers help support bodily tissues such as the skin and the mouth lining. It has numerous cosmetic and medical applications. Collagen is made in the body and provides an ideal way to coat, protect and soothe canker sores naturally.

\*References available at OraHealth.com.

} *Help before it hurts.  
Start using CankerMelts at the first sign of a new sore.*

**Cheek, inside of the lip or under the tongue:** Using your fingers or the tip of your tongue, place a dry disc on or near the canker sore. Relax your mouth so the disc remains in place. Within one minute, the disc will adhere to teeth or gums. Adhering is not required; you'll still experience soothing relief so long as the disc remains near the sore.

**Tongue:** Use your finger to place a dry disc on the sore. Then move your tongue to press the disc against the nearest gums or teeth and hold it in place. After one minute, the disc should adhere and release from your tongue. Frequently move your tongue to the disc, touching it to the disc.

**Braces:** Apply a CankerMelts disc to the sore and let it press onto the braces. The disc will soften and settle into the braces and then pull away from the sore. CankerMelts will not harm your braces and will completely dissolve out of them in 3-8 hours – sooner with brushing.

**Dentures:** Soften a CankerMelts disc in your mouth. Hold it against the denture or gums in the area closest to the sore until it adheres. The medication released from the disc will diffuse to the sore.

You can help prevent a relapse by continuing to use CankerMelts for 8 hours after you no longer feel the sore.



OraHealth   
Relief that sticks®